


BS10



Assembly Instructions



INDEX

•	IMPORTANT SAFETY INSTRUCTIONS	02
•	ASSEMBLY LIST	04
•	ASSEMBLESTEPS	05
•	FITNESS TIPS & TECHNIQUES	09
•	CONDITIONING GUIDELINES	10
•	WARM UP & COOL DOWN	11
•	AFTER-SALES SERVICE	12

IMPORTANT SAFETY INSTRUCTIONS

It is the sole responsibility of the purchaser of products to read the owner's manual, warning labels and instruct all individuals, on proper usage of the equipment. Understanding each and every warning to the fullest is important. It is recommended that all users of be informed of the following information prior to use.

△ HEALTH WARNING

- •Before starting any exercise or conditioning program you should consult with your personal physician to see if you require a complete physical exam. This is especially important if you are inactive, pregnant or suffer from any illness.
- •If at any time during exercise you feel faint, dizzy or experience pain, stop exercising immediately and consult your physician.
- •To avoid muscular pain and strain, begin each workout by stretching and warming up and end each session by cooling down and stretching.

\triangle INSTALLATION

Recommends that all equipment:

- •Be secured to or set up on a solid, level surface to stabilise and eliminate rocking or tipping over during training.
- •Be set up with sufficient ventilation to ensure proper operation.
- •Be set up with sufficient space around the equipment so that all exercises can be completed safely. It is recommended

that there should be at least 1 metre of space around the equipment where access is required to exercise.

△ PROPER USAGE

Before you use this equipment, please read the following safety instruction and abide by it, thanks!

- •Please assemble the equipment following the assembly instruction.
- •Be careful and use matched wrench tools during the assemble. Ask for help if have problem.
- •Don't use caustic cleanser to clean and wipe it.
- •If there are damages of small parts, please stop use the equipment at once and contact the purchased company or agency for changing. Install the new small parts properly and make sure the connect joints and working parts are fastened, avoiding dangerous during use.
- •Please wear cloth and shoes suitable for exercise to keep user from accident.
- •Parents or other supervising adults must provide close supervision of children if the equipment is used in the presence of children.

IMPORTANT SAFETY INSTRUCTIONS

\triangle INSPECTION

Do not use or permit use of any equipment that is damaged, or has worn or broken parts. For all equipment use only replacement parts supplied

Always make sure that all nuts and bolts are tightened prior to each use.

Maintain labels and nameplates - do not remove labels for any reason. They contain important information.

Equipment maintenance – preventative maintenance is the key to smooth operating equipment. Please ensure

that you follow our maintenance tips to ensure the continued correct function of your equip- ment.

Before any use, examine all accessories approved for use with the equipment for damage or wear.

Should your equipment appear damaged or worn, do not attempt to use or repair the equip- ment yourself.

△ OPERATING WARNINGS

It is the purchaser's responsibility to instruct all users as to the proper operating procedures of all equipment. Keep children away from all moving parts. Parents must provide close supervision of children if the equipment is used in the presence of children.

Do not wear loose fitting clothing or jewellery when using the equipment. It is also recommended that users tie up longhair to avoid contact with moving parts.


Ensure that anyone not using the equipment stays clear of the user, accessories and moving parts while the machine is in operation.

△ USER WEIGHT LIMITATIONS

SAVE THIS INSTRUCTION MANUAL FOR FUTURE USE AND REFERENCE.

ASSEMBLY LIST


No.	Name	Spec	Qty
A1	The weight tower		1
A2	bottom connected pipe		1
A3	sideframe		1
A4	Fixing parts for enamel disc		1
A5	Curved connection parts		1
A6	backrest pipe		1
A7	handle		1
B1	Flat gasket	¢12	6
B2	Spring washer	¢12	6
B3	Hexagon socket head screw	M12*35	6
B4	Hexagon socket head screw	M10*140	6
B5	Spring washer	¢10	14
B6	Curved gasket	¢11.5*¢24*T2	6
B7	SL654 nozzle connector	411.5 424 12	3
B8	平垫片Flat gasket	¢10	10
		M10*25	
B9	Hexagon socket head screw		8
C1	C203 guide rod pad	¢50 *T5 ¢50*¢21.5*25	2
C2	SL017 weight stack cushioning accessories		2
C3	guide rod	¢20*1240	2
C4	weight stack		19
C5	first weight stack		1
C6	SL07 guide rod fixing parts		1
C7	Hexagon socket head screw	M8*35	2
D1	Movement parts		1
D2	bearing 6005	¢25*¢47*12	2
D3	GT004 Bearing spacer	¢34*¢25.2*5	2
D4	Pipe close	¢50	1
D5	Countersunk Hexagon Screw	M8*16	1
D6	Long foam		2
D7	B245B245 aluminum end cap		1
D8	B246B245 aluminum end cap with hole		1
D9	拉销手柄组件 pin		1
D10	坐垫 cushion		1
D11	Flat gasket	¢8	18
D12	Hexagon socket head screw	M8*25	4
D13	backrest cushion		1
D14	Hexagon socket head screw	M8*80	2
E1	Cages	, , , ,	1
E2	Phillips roundhead screws	M5*10	3
E3	Upper front cover		1
E4	Middle front cover (right)		1
E5	Middle front cover (left)		1
E6	Lower front cover		1
E7	Upper rear cover		1
E8	Middle rear cover		1
	Lower rear cover		1
E9		CT4 2*0	29
E10	Cross half roundheadself tapping	ST4.2*8	
E11	Cross half roundheadself tapping	ST4.2*16	3
E12	Hexagon socket head screw	M6*15	12
E13	Hexagon socket head screw	M8*15	2
E14	Hexagon socket head screw	M6*15	4



Step 1:


Connect and tighten the weight tower and the connecting support parts, then install the parts to the corresponding position according the picture.

Note: The equipment must be placed on a flat ground, in order to prevent the equipment from tilting and bumping the assembler due to uneven ground during the assembly process!




Step 2: Fix the weight stacks and guide rods of the weight tower with screws.

Step 3: Install the cushions according this picture.



Step 5: Install the cable according to the right picture.



Step 5:

Install the weight tower plastic part on its mainframe.

Note: that excessive force should not be used during the assembly process to avoid damage to the plastic cover!

- ▲The pictures are for reference only, and the equipment is subject to the actual product;
- ▲The structure is subject to change without notice.

FITNESS TIPS & TECHNIQUES

AEROBIC EXERCISE

Aerobic exercise is any sustained activity that sends oxygen to your muscles via your heart and lungs. Aerobic exercise improves the fitness of your lungs and heart – your body's most important muscle. Aerobic exercise fitness is promoted by any activity that uses your large muscles (arms, legs, or buttocks, for example). Your heart beats quickly and you breathe deeply. An aerobic exercise should form part of your entire exercise routine.


WEIGHT TRAINING

Along with aerobic exercising which helps get rid of and keep off the excess fat that our bodies can store, weight training is an essential part of the exercise routine process. Weight training helps tone, build and strengthen muscle. If you are working above your target zone, you may want to do a lesser amount of reps. Always consult your physician before beginning any exercise program.

MUSCLE CHART

The exercise routine that is performed on the will develop your whole body.

The targeted muscle groups are the chest, shoulders, back, legs and arms. It will also condition the circulatory system and provide a good aerobic workout. These muscle groups are highlighted on the muscle chart below.



CONDITIONING GUIDELINES

How you begin your exercise program depends on your physical condition. If you have been inactive for several years, or are severely overweight, you must start slowly and increase your time on the equipment, a few minutes per workout.

Initially, you may be able to exercise only for a few minutes in your target zone, however, your aerobic fitness will improve over the next 6 to 8 weeks. Don't be discouraged if it takes longer. It's important to work at your own pace. Ultimately, you'll be able to exercise continuously for 30 minutes. The better your aerobic fitness, the harder you will have to work to stay in your target zone. Please remember these essentials:

- Have your doctor review your training and diet programs to advise you of a workout routine you should adopt.
- Begin your training program slowly with realistic goals that have been set by you and your doctor.
- Monitor your pulse frequently.
- Establish your target heart rate based on your age and condition


EXERCISE INTENSITY


To maximise the benefits of exercising, it is important to exercise with the proper intensity. The proper intensity level can be found by using your heart rate as a guide. For effective aerobic exercise, your heart rate should be maintained at a level between 65% and 85% of your maximum heart rate as you exercise. This is known as your target zone. You can find your target zone in the table below.

During the first few months of your exercise program, keep your heart rate near the low end of your target zone as you exercise. After a few months, your heart rate can be increased gradually until it is near the middle of your target zone as you exercise.

To measure your heart rate, stop exercising but continue moving your legs or walking around and place 2 fingers on your wrist. Take a 6 second heartbeat count and multiply the results by 10 to find your heart rate. For example, if your 6 second heartbeat count is 14, your heart rate is 140 beats per minute. (A 6 second count is used because your heart rate will drop rapidly when you stop exercising).

Adjust the intensity of your exercise until your heart rate is at the proper level.





WARM UP & COOL DOWN

WORKOUT GUIDELINES

Each workout should include the following 3 parts:

- **1. A WARM-UP:** 5 to 10 minutes of stretching and light exercise. A proper warm-up increases your body temperature, heart rate, and circulation in preparation for exercise.
- **2. TRAINING ZONE EXERCISE:** 20 to 30 minutes of exercising with your heart rate in your training zone. (Note: During the first few weeks of your exercise program, do not keep your heart rate in your training zone for longer than 20 minutes).
- **3. COOL-DOWN:** 5 to 10 minutes of stretching. This will increase the flexibility of your muscles and will help to prevent post-exercise problems.

EXERCISE FREQUENCY

To maintain or improve your condition, plan 3 workouts each week, with at least 1 day of rest between workouts. After a few months of regular exercise, you may complete up to 5workouts each week, if desired. Remember, the key to success is to make exercise a regular andenjoyable part of your everyday life.

SUGGESTED STRETCHES

The correct form for several basic stretches are shown on the right. Move slowly as you stretch, hold the position and never bounce.

1. TOE TOUCH STRETCH

Stand with your knees bent slightly and slowly bend forward from your hips. Allow your back and shoulders to relax as you reach down toward your toes as far as possible. Hold for 15 counts, and then relax. Repeat 3 times.

Stretches: Hamstrings, back of knees and back.

2. HAMSTRING STRETCH

Sit with 1 leg extended. Bring the sole of the opposite foot toward you and rest it against the inner thigh of your extended leg. Reach toward your toes as far as possible. Hold for 15 counts, and then relax. Repeat 3 times for each leg.

Stretches: Hamstrings, lower back and groin.

3. CALF/ACHILLES STRETCH

With 1 leg in front of the other, reach forward and place your hands against a wall. Keep your back leg straight and your back foot flat on the floor. Bend your front leg, lean forward and move your hips toward the wall. Hold for 15 counts, and then relax. Repeat 3 times for each leg. To cause further stretching of the Achilles tendons, bend your back leg as well.

Stretches: Calves, Achilles tendons and ankles.


4. QUADRICEPS STRETCH

With 1 hand against a wall for balance, reach back and grasp 1 foot with your other hand. Bring your heel as close to your buttocks as possible. Hold for 15 counts, then relax. Repeat 3 times for each leg. Stretches: Quadriceps and hip muscles.

5. INNER THIGH STRETCH

Sit with the soles of your feet together and your knees outward. Pull your feet toward your groin area as far as possible. Hold for 15 counts, and then relax. Repeat 3 times.

Stretches: Quadriceps and hip muscles.



AFTER-SALES SERVICE

If there are any problems or malfunctions in the equipment you purchased, please contact your sales manager in time. He will help you find the cause of the problem and help you solve the problem, if it is a problem with parts If it cannot be ruled out in time, the company's professional after-sales service personnel will also be arranged to give more professional after-sales service.

COST OF REPAIRS

UNDER WARRANTY

Any items still under warranty will be repaired free of charge, as long as it complies with the terms and conditions of the warranty (refer to "warranties" section in this manual). Any items that need to be repaired that are NOT covered in the warranty will be for the Consumer's expense. A quote for the repair/replacement of these items will be provided to the Consumer for approval prior to repairs being conducted.

OUT OF WARRANTY

Any items that need to be repaired once the warranty has expired will be for the Consumer's expense including call out fees.

A quote for the repair/replacement of these items will be provided to the Consumer for approval prior to repairs being

		ATTACH RECEIPT				
CLIENT DETAILS						
NAME:						
EMA L:	CELL					
TEL(H):	TEL(W)	FAX:				
ADDRESS:						
PRODUCT DETAILS						
DATE OF PURCHASE: dd / mm /YY	ERIAL NUMBER:	TILL SLIP NUMBER:				
DESCRIPTION OF PURCHASE:						